



MANUFACTURER'S CERTIFICATION STATEMENT FOR THE AMERICAN REINVESTMENT & RECOVERY ACT OF 2009

Owens Corning Sales, LLC certifies the following building materials and systems are "Eligible Building Envelope Components" that qualify for the Federal Tax Credit for existing homes which is allowed under Section 1121 of the American Reinvestment & Recovery Act of 2009:

- PINK FIBERGLAS™ Blanket Insulation
- FIBERGLAS™ Loosefill Insulation
- PINK FOAMULAR® Rigid Foam Insulation Products
- FIBERGLAS™ Air Handling Products
- Basement Finishing System™
- Window Products
- Roofing Products

Under penalties of perjury, I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct and complete.

Karel Czanderna
President, Building Materials Group,
Authorized Representative of Owens Corning Sales, LLC

Homeowner's Records

The following product has been installed in the home below, which is the primary residence of the following taxpayer:

Taxpayer Name: _____

Social Security Number: _____

Primary Residence: _____

Product: _____

Price Paid for Product: \$ _____

Date of Purchase: _____

Date of Installation at Primary Residence: _____

(Must be after December 31, 2008, and before January 1, 2011.)



INNOVATIONS FOR LIVING®

MANUFACTURER'S CERTIFICATION STATEMENT FOR THE AMERICAN REINVESTMENT & RECOVERY ACT OF 2009

The following products under each category, are "Eligible Building Envelope Components" covered by this Manufacturer's Certificate.

PINK FIBERGLAS™ Blanket Insulation¹

- PINK FIBERGLAS™ Batt and Roll Insulation (all R-values, including Attic Blanket® Insulation and Multi-Purpose Rolls)
- **PROPINK®** FIBERGLAS™ Insulation
- **PROPINK** FastBatt® FIBERGLAS™ Insulation
- PINKPLUS® FIBERGLAS™ Insulation
- Attic Stair Insulator
- Garage Door Insulator

FIBERGLAS™ Loosefill Insulation¹

- **PROPINK®** Unbonded Loosefill (Red or Black Bag) FIBERGLAS™ Insulation
- **PROPINK** Complete™ Loosefill FIBERGLAS™ Insulation
- ThermaGlas® Blown-In PINK FIBERGLAS™ Insulation
- TGlas® 25 Blown-In PINK FIBERGLAS™ Insulation
- AttiCat® Expanding Blown-In Insulation
- Energy Complete™ System

PINK FOAMULAR® Rigid Foam Insulation Products¹

- PINK FOAMULAR® Insulating Sheathing (all thicknesses)
- INSULPINK® Foam Insulation Board
- **PROPINK®** Insulating Sheathing
- Fold-Form® Insulated Concrete Forms
- FanFold Foam Residing Board
- **PROPINK®** FanFold Underlayment Board
- FanFold Underlayment Board
- TRUFOLD® EPS Underlayment Board
- **PROPINK®** FanFold Reflective Underlayment Board
- FOAMULAR® 150 Extruded Polystyrene Rigid Foam Insulation
- FOAMULAR® 250 Extruded Polystyrene Rigid Foam Insulation
- FOAMULAR® IS Insulating Sheathing Half-Inch
- FOAMULAR® INSUL-DRAIN® Extruded Polystyrene Insulated Drainage Board
- Housewrap and flashing tapes

FIBERGLAS™ Air Handling Products¹

- QUIETR® Duct Board
- SOFTR® Duct Wrap

Basement Finishing System™¹

- Exterior Wall Insulation Panels

Window Products²

- SOLACE® Windows
- INNOVISION™ Windows

Roofing Products

- Classic® and Supreme® Shasta White Shingles

Footnotes

Products may not reach minimum R-value alone but can reach the desired R-value when used in conjunction with other products as system.

In some areas building code may require additional insulation be added above the **PINKCap®** to achieve a R-value equal to the surrounding ceiling. To avoid insulation material from spilling into the living space and enable placement of insulation as you exit, unfaced blanket fiberglass should be used.

In some areas building code may require additional insulation be added above the Attic Stair Insulator Kit to achieve a R-value equal to the surrounding ceiling. To avoid insulation material from spilling into the living space and enable placement of insulation as you exit, unfaced blanket fiberglass should be used. Wood framing may be necessary around the Attic Stair Insulator Kit to support any additional unfaced blanket fiberglass added above it.

- (1) All insulation materials and systems must be installed in accordance with the prescriptive requirements of the 2009 International Energy Conservation Code (IECC).
- (2) Qualifying windows must have a U-value of 0.30 or less and SHGC of 0.30 or less.



INNOVATIONS FOR LIVING®

OWENS CORNING SALES, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659

1-800-GET-PINK™
www.owenscorning.com

Pub. No. 10000652-L. Printed in U.S.A. September 2009. THE PINK PANTHER™ & ©1964–2009 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2009 Owens Corning.

